


DIAMOND COATED EDGE FORMING BITS


Ideal for use in a wide range of materials such as marble, granite, fibreglass, ceramics, solid surface materials and some types of plastics, glass and graphite. (*Special shapes and sizes available on request)

ROUNDING OVER BITS




PART No.	A	B	C	RADIUS	BEARING	SHANK
DIACR 3.5 MB 1/2	27	8	65	3.5	TBRS 40	1/2
DIACR 6 MB 1/2	30	14	70	6	TBRS 40	1/2
DIACR 10 MB 1/2	37	16	75	10	TBRS 40	1/2
DIACR 12 MB 1/2	43	18	75	12	TBRS 40	1/2

45° CHAMFER BIT




PART No.	A	B	C	BEARING	SHANK
DIACR 45 B 1/2	30	14	75	TBRS 41	1/2

45° INVERTED CHAMFER BIT




PART No.	A	B	C	BEARING	SHANK
DIACR 135 B 1/2	30	17	75	TBRS 42	1/2

TRIM BIT



PART No.	A	B	C	BEARING	SHANK
DIACR 12730 B 1/2	12.7	30	70	TBRS 43	1/2

REPLACEMENT BEARINGS (RUBBER SEALED)



PART No.	OD mm	ID mm	B mm
TBRS 40	19	5	4
TBRS 41	16	5	6
TBRS 42	30	10	9
TBRS 43	12.7	4.8	4.8

Also see page 56 for diamond points.

DIAMOND GRINDING CUP WHEELS

FOR USE ON ANGLE GRINDERS (GUARDING RECOMMENDED)

DOUBLE GRINDING CUP WHEEL

Ideal for finish grinding concrete, granite, bricks and stone. The double row of diamond surface ensures smooth operation and long life.



PART No.	DIAMETER	ARBOR
DDGC 458	4" (105mm)	5/8
DDGC 478	4" (105mm)	7/8

SEGMENTED TURBO CUP WHEEL

For rough surface grinding. Suitable for grinding concrete, brick, stone and most masonry applications.



PART No.	DIAMETER	ARBOR
DSTGC 458	4" (105mm)	5/8
DSTGC 478	4" (105mm)	7/8

